Sarah Levoy, Psy.D. CA #PSY17161

drsarah@drsarahlevoy.com

425.577.3939

Behavioral Health Child/Adolescent Intake Form

Child Name (First, MI, Last)		Age	Date of Birth
School		Grade	Today's Date
Primary M.D.	Social Worker		County
Who Referred You?			
What are the current concerns? List in order of	f importance.		
1			
1			
2			
2			
_			
3			
Mental Health Treatment History		Place(s) and Date(s	
Mental Health Treatment History Psychiatric Consultation		Place(s) and Date(s	
		Place(s) and Date(s	
		Place(s) and Date(s	
□ Psychiatric Consultation □ Outpatient Therapy/Counseling		Place(s) and Date(s	
Psychiatric Consultation		Place(s) and Date(s	
Psychiatric Consultation Outpatient Therapy/Counseling		Place(s) and Date(s	
Psychiatric Consultation Outpatient Therapy/Counseling		Place(s) and Date(s	
□ Psychiatric Consultation □ Outpatient Therapy/Counseling □ Inpatient Hospitalization		Place(s) and Date(s	
□ Psychiatric Consultation □ Outpatient Therapy/Counseling □ Inpatient Hospitalization		Place(s) and Date(s	
□ Psychiatric Consultation □ Outpatient Therapy/Counseling □ Inpatient Hospitalization □ Partial Hospitalization (Hospital-Based)		Place(s) and Date(s	
□ Psychiatric Consultation □ Outpatient Therapy/Counseling □ Inpatient Hospitalization □ Partial Hospitalization (Hospital-Based)		Place(s) and Date(s	

☐ In-home Family Therapy
Psychological testing (IEP, IQ, achievement, etc.)
Are there other ways that your family has attempted to deal with the concerns?
1.
2.
3.

SYMPTOM CHECKLIST: Read each item below and decide how much you think your child/adolescent has been showing the problem during the past month. (0 = Not at all 1 = Rarely 2 = Sometimes 3 = Often)**NEURODEVELOPMENTAL SYMPTOMS** Fails to give close attention to details or makes careless mistakes in schoolwork, work, or activities Has difficulty sustaining attention in tasks or play activities Does not seem to be listening when spoken to directly Does not follow through on instructions and fails to finish schoolwork, chores, or duties in the workplace Has a difficult time organizing tasks and activities (e.g. managing sequential tasks, organizing materials, etc.) Avoids or dislikes or is reluctant to engage in tasks that require sustained mental effort Loses things necessary for tasks or activities Is distracted by extraneous stimuli (for adolescents and adults this may include unrelated thoughts) Is forgetful in daily activities (e.g., doing chores, running errands, keeping appointments, etc.) Fidgets with or taps hands and feet or squirms in seat Leaves seat in situations when remaining seated is expected Runs about or climbs in situations where it is inappropriate (or feelings of restlessness in adolescents/adults) Unable to play or engage in leisure activities quietly Is "on the go", acting as if "driven by a motor" (e.g. unable to sit still for extended periods of time) Talks excessively Blurts out an answer before a question has been completed Has difficulty waiting his or her turn Interrupts or intrudes on others (e.g. butts into games, conversations or activities, uses others' things) Intellectual or cognitive impairment or delays Speech or language problems Has difficulty in reading (word reading accuracy, reading rate or fluency, reading comprehension) Has difficulty in mathematics (number sense, memorization of math facts, accuracy or fluency, reasoning) Has difficulty in written expression (spelling, grammar/punctuation, clarity or organization) Motor/coordination problems Vocal/motor tics (e.g., repetitive eye blinking, throat clearing, facial movements, noises, etc.)

Has difficulty with social communication and social interaction across multiple contexts/settings. IF YES, CHECK THOSE BELOW THAT APPLY.
Deficits in social-emotional interactions (e.g. approaching others abnormally, failing to converse back and forth, doesn't share interests or feelings, fails to initiate or respond to social interactions, etc.)
Deficits in nonverbal communication (e.g. abnormal eye contact or body language, lack of facial expression, trouble understanding or using gestures)
☐ Trouble developing or keeping friendships at a level expected for developmental age
Restricted, repetitive patterns of behavior, interest, use of objects or speech. IF YES, CHECK THOSE BELOW THAT APPLY.
Repetitive patterns of behavior, interests, use of objects, or speech.
Repetitive or unusual motor movements, use of objects or speech
☐Insistence on things being the same, inflexible routines or patterns of verbal/nonverbal behavior
Highly restricted interests that are abnormal in intensity or focus
Under or over-reactivity to sensory input or unusual interest in sensory aspects of the environment (e.g. indifference to pain/temperature, over response to textures, smells, light, movement, sounds, or tastes)

SRUPTIVE BEHAVIOR SYMPTOMS	
Loses temper	
Touchy and easily annoyed	
Angry and resentful	
Argues with adults	
Actively defies or refuses to comply with rules or requests from authority figures	
Deliberately annoys others	
Blames others for own mistakes or misbehavior	
Spiteful or vindictive	
Behavioral outbursts involving verbal or physical aggression	
Bullies, threatens or intimidates other	
Initiates physical fights	
Used a weapon that can cause serious physical harm to others	
Physically cruel to people or animals	
Has stolen while confronting a victim	
Forced someone into sexual activity	
Deliberately engaged in fire setting with the intention of causing damage	
Deliberately destroyed others' property	
Broke into someone's house, building, or car	

	Lies in order to obtain favors or to avoid obligations
	Has stolen without confrontation (e.g., forgery, shoplifting)
	Stays out at night without permission
	Has run away from home overnight
	Has been truant
	Verbal aggression or physical aggression toward property, animals, or other individuals, not resulting in physical injury to animals or other individuals.
	Behavioral outbursts involving damage or destruction of property and/or physical assault involving injury against animals or other individuals within a 12 month period.
MOOD	D SYMPTOMS
	Temper outbursts manifested verbally and/or behaviorally, that are out of proportion to the situation and are inconsistent with developmental level
	The mood in between temper outbursts is persistently irritable or angry
	Depressed or irritable mood
	Less interest or pleasure in all or almost all activities
	Significant weight loss when not dieting or weight gain (greater than 5% of body weight in a month)
	Difficulty sleeping or oversleeping
	Increased movement and agitation or decreased movement and slowing down
	Fatigue or loss of energy
	Feelings of worthlessness or excessive and inappropriate guilt
	Difficulty thinking or concentrating, or indecisiveness
	Thoughts of death, or suicidal thoughts (with or without a specific plan), or suicide attempt(s)
	Has had a <i>distinct</i> period of abnormally and persistently elevated (happy, excited) or irritable mood <i>and</i> abnormally and persistently increased goal-directed activity or energy. IF YES, CHECK THOSE BELOW THAT APPLY.
	At least 4 days of noticeably increased, inflated self esteem or grandiosity
	At least 4 days of noticeably decreased need for sleep (e.g. feels rested on 3 hours of sleep)
	At least 4 days of noticeably increased talkativeness or pressure to keep talking
	At least 4 days of noticeably increased racing thoughts or flight of ideas
	At least 4 days of noticeably increased distractibility
	At least 4 days of noticeably increased goal-directed activity or motor agitation (purposeless activity)
	At least 4 days of noticeably excessive involvement in high risk activities
ANXIE	TY SYMPTOMS
	Fear and anxiety concerning separation from home or major attachment figures
	Failure to speak in certain social situations (e.g., school or with unfamiliar adults) but speaking ok at home
	Marked fear/anxiety about a specific object or situation (e.g., heights, animals, the dark)
	Marked fear/anxiety about social situations involving being observed by others (e.g., performing, conversing)
	Panic attacks (sudden onset of intense fear or physical discomfort that reaches a peak within minutes)

Anxiety and worry about a number of events or activities, occurring more days than not

OBSES	SIVE-COMPULSIVE SYMPTOMS
	Recurrent and persistent thoughts, urges, or images that cause marked anxiety or distress
	Repetitive behaviors (e.g., hand washing, checking) or mental acts (e.g., praying, counting) that the individual feels driven to perform in response to an obsession or according to rules that must be rigidly applied
	Preoccupation with perceived defects or flaws in physical appearance that are not observable to others
	Difficulty discarding or parting with possessions, regardless of their value (i.e., hoarding)
	Hair pulling
	Skin picking
TRAUN	MA- AND STRESSOR- RELATED SYMPTOMS
	Has experienced a pattern of extreme, insufficient care (e.g., neglect, deprivation, changes in caregivers, etc.) IF YES, CHECK THOSE THAT APPLY
	Rarely or minimally seeks or responds to comfort from caregivers when upset or distressed
-	Minimal social and emotional responsiveness to others
-	Limited positive emotions
-	Episodes of unexplained irritability, sadness or fearfulness during interactions with adult caregivers
-	Reduced caution in approaching and interacting with unfamiliar adults
	A pattern of actively approaching and interacting with unfamiliar adults (e.g., a willingness to go off with unfamiliar adults with little or no hesitation, being overly familiar, not checking back with caregivers after venturing away, etc.)
	Has had exposure to actual or threatened death, serious injury, or sexual violence IF YES, CHECK THOSE THAT APPLY
	Recurrent, distressing memories or dreams of the traumatic event
	Re-enactment of the traumatic event in repetitive play activities
	☐Intense, physical or emotional distress when exposed to reminders of the traumatic event
	☐ Flashbacks of the traumatic event (i.e., feeling or acting as if the traumatic events were recurring)
	Persistent avoidance of memories, thoughts, feelings, places or objects associated with the traumatic event
	□ Negative changes in thoughts or mood beginning or worsening after the traumatic event (e.g., guilt, shame, loss of interest, feeling detached, self-blame, etc)
	Marked changes in arousal or reactivity, beginning or worsening after the traumatic event (e.g. angry outbursts, hypervigilance, problems sleeping, reckless/destructive behavior, etc.)
DISTO	RTED THINKING OR PERCEPTION SYMPTOMS
	Delusions (i.e., persistent odd or false beliefs)
	Hallucinations (i.e., hearing or seeing things that are not really there)
DISORI	DERED EATING SYMPTOMS
	Episodes of binge eating

			he/she live?		
Addres		City:		State	-
Parent	t's name:	Age:	☐Biological ☐Ado	ptive	☐ Step
Curre	nt Living Situation				
	Inappropriate sexual activity				
	Unhealthy peer group				
	Sexual abuse (lifetime)				
	Aggressive behavior toward others				
	Homicidal thoughts/preoccupation with violence				
	Chronic physical pain or other acute medical problem				
	Perceived burden on family or others				
	Highly impulsive behavior Drug or alcohol abuse/dependence				
	Hopelessness Command hallucinations to hurt self				
	Current or pending isolation or feeling alone				
	Arrests/Pending incarceration				
	Recent loss(es) or other significant negative event(s) (legal, fin	ancial, relationship	, etc.)		
	Family history of suicide (lifetime)	amaial mal et a tr	-4-1		
	□ No firearms in the home □ Firearms are easily accessed	⊔ Use of sate fi	rearm and ammunition s	torage	practices
	Self-injurious behavior <i>without</i> suicidal intent Method for suicide available (gun, pills, etc.)				
		ipieu attempt, or 0	iner preparatory acts to	KIII3 3E	
	Suicidal Thoughts: has had non-specific thoughts of wanting to Suicide Behavior: has had an actual suicide attempt, an interru			kills so	ıf
	Wish to be Dead: has had thoughts about a wish to be dead or			ia not	wаке up.
MI NEIN		not live conservation	or a wish to fall sales	nd 10 = 4	waka ···
Rick I	ndicators (Check all that apply)				
Are t	there other symptoms or concerns that you have about this child/	adolescent?			
	ELLANEOUS SYMPTOMS				
	Incongruence between one's experienced/expressed gender and	d actual gender, of	at least 6 months duration	on	
GENDI	ER DYSPHORIA SYMPTOMS				
	Disturbance in the way in which one's body weight or shape is e	xperienced			
	Fear of gaining weight or becoming fat				
	Restriction of food intake leading to significantly low body weigh	nt (i.e., less than mi	nimally expected)		
	excessive exercise, etc.)				

Inappropriate behaviors used to prevent weight gain (e.g., self-induced vomiting, misuse of laxatives or diuretics, fasting,

Employed outside of the home? \square Yes	□No		О	ccupation:		Hours/wk:	
Parents's name:				Age:	☐Biological ☐	Adoptive	
Address:			Ci	ty:		State:	
Lives with the child/adolescent?				If not, where does he/she live?			
Employed outside of the home?				ccupation:	Hours/wk:		
Parents' marital status: never married.	□ marrie	d for	years	. 🔲 separato	ed. 🗖 divorced.		
If parents are divorced, describe physical and le	egal custo	dy?					
Other parent(s) or caregiver(s) names (if differ	ent from (above):					
Relationship to patient:		<u> </u>					
Relationship to patient:							
Is the caregiver employed outside the home?	□Yes □	Ino	0	ccupation:		Hours/wk:	
Legal guardian of patient, if other than biologi	cal parent	t(s):					
List all people this child/adolescent is presently	living wit	h:					
Name Age Relation Health Status:							
						Good/Fair/Poor	
						Good/Fair/Poor	
						Good/Fair/Poor	
						Good/Fair/Poor	
						Good/Fair/Poor	
						Good/Fair/Poor	
						Good/Fair/Poor	
List any immediate family members who do no	t live with	this child	d/adoles	ent and any dec	eased family member	rs:	
Name	Living	Age		Relation	Ci	ty, State	
	Y/N						
	Y/N						
	Y/N						
	Y/N						

	Y/N						
	Y/N						
Developmental History		1				.	
Prenatal and Delivery History							
How was the mother's overall health during pre	gnancy v	vith this p	atient?:	□good	□fair	Dpoor	□don't know
How was the mother's overall health during pre	gnancy v	vith this p	atient?:	□good	□fair	Dpoor	□don't know
Did the mother experience any medical problem If yes, please specify:	ns or com	nplication	s during p	oregnancy?	Yes	□No	
How old were the parents when this patient wa	s born?	Mother _		Father			
What substances, if any, did the mother use du	ring the c	course of	the pregn	ancy (inclu	ıding befo	re learning	g that she was pregnant)?
☐Alcohol: Describe amount and frequency							
☐Tobacco: Describe amount and frequency							
Street Drugs: Describe what drugs, amount							
Prescription Drugs: Describe what drugs, am	ount and	frequenc	су				
Was this child/adolescent born: ☐less than 30	weeks ge	estation	□30-35	weeks	□36-40 v	weeks [over 40 weeks
Was delivery: □Normal □Breech □Cae	esarian	Force	ps/vacuu	m assisted	□Indu	ıced	
What was the child/adolescent's birth weight?							
			_				
Were there indications of fetal distress during la lif yes, please specify							
Were there any health complications following If yes, please specify							
Postnatal Period and Infancy							
Were there any infancy feeding problems?							
Was this child/adolescent colicky as an infant? If yes, please specify	□Yes	□No					

Were there infancy sleep pattern difficulties?
Were there problems with responsiveness/alertness during infancy?
□ Very easy □ Easy □ Average □ Difficult □ Very Difficult
Were there any concerns about this child/adolescent's attachment to the primary caregiver(s)? Yes No If Yes, please specify
Toddler Period
As an infant/toddler, how did this child/adolescent behave with other people?
☐ More sociable than average ☐ Average sociability ☐ Actively avoided socializing ☐ More shy than average As an infant/toddler, how insistent was this child/adolescent when he or she wanted something?
□ Very insistent □ Somewhat insistent □ Average □ Passive As an infant/toddler, how active was this child/adolescent?
□ Very active □ Active □ Average □ Less active □ Very inactive How would you describe this child's play as an infant/toddler? (Check all that apply)
□ Loud □ Interested in playing with others □ Imaginative / Make believe
☐ Quiet ☐ Played alone ☐ Repetitive ☐ Rigid, concrete
Developmental Milestones
Have you or anyone else ever had concerns about this child/adolescent's development? Yes No If yes, please specify
At what age (in months) did this child/adolescent: Sit up? Crawl? Walk?
At what age (in months) did this child/adolescent speak single words (other than "Mama" or "Dada")?
At what age (in months) did this child/adolescent begin stringing two or more words together?
At what age (in months) was this child toilet trained? For bladder For bowel

Medical History					
How would you describ	e your child/ado	lescent's health?			
□Very Good	□Good	□Fair	Poor	□Very P	oor
How is his/her hearing? Vision? Speech and language?	□Good □]Fair □Poor]Fair □Poor]Fair □Poor		tor coordinati	on? □Good □Fair □Poor tion? □Good □Fair □Poor
Has this child/adolescent If yes, please specify					ergies, heart condition)?
Which of the following	illnesses has this	child/adolescent h	ad? Check all t	that apply:	
☐ Chronic diarrhea☐ Constipation☐ Asthma☐ Pneumonia☐	□ Stomach ach □ Allergies □ Croup □ Seizures	High fevers □Encephaliti □RSV □Meningitis	Chronic Chicker	c headaches n pox	☐ Chronic ear infections ☐ Lead poisoning ☐ Urinary tract infections
Has this child/adolescent If yes, please specify	=	-			
Has this child/adolescent If yes, please specify the		•			
					oral problems?
Has this child/adolescer If yes, please specify: Medication #1:					behavioral problems?
Reason prescribed?					
Daily Dose:			Daily D	ose:	
Who Prescribed This?:					?
How long was this taken					ken?
Was this helpful?			Was th	is neiptul?	
Side effects:			3106 611	icus	

Reason prescribed?	tion #3: Medication #4: Reason prescribed?		
Daily Dose:	Daily Dose:	-	
Who Prescribed This?	Who Prescribed This?	-	
How long was this taken? Was this helpful?		_	
Side effects:			
Medication #5:	Medication #6:		
Reason prescribed?		-	
Daily Dose:	Daily Dose:		
Who Prescribed This?			
How long was this taken?	How long was this taken?	Was	
this helpful?	Was this helpful?		
Side effects:	Side effects:		
Has this child/adolescent had any accident	ts resulting in the following? (Check all that apply)		
☐ Sutures ☐ Broken bones	☐ Severe lacerations ☐ Head injury		
☐Severe bruises ☐Loss of teeth	□Loss of consciousness □Eye injury		
<u> </u>			
Does this child/adolescent have any bladde	ler control problems?: \square No \square Yes		
If yes, are these During the day?	☐ During the night?		
Does this child/adolescent have any bowel	el control problems?: 🔲 No 💮 Yes		
If yes, are these During the day?	☐ During the night?		
This child/adolescent's usual bedtime is at	t: when in school when on vacation.		
Describe this child/adolescent's sleep patt	terns or habits:		
☐ Sleeps all night without disturbance	☐ Has trouble falling asleep ☐ TV in bedroom ☐ Early morning awak	kening	
☐Awakens during night/restless sleeper	\square Screen time up to bedtime \square Severe snoring \square Sleeps outside bedr	room	
lacksquare Gets out of bed in middle of the night	☐ Sleeps with parent(s)		
Describe this child/adolescent's eating hab	bits:		
□Overeats □Average	\square Under eats \square Binge eating \square Intentionally restricts intake		

Family Health History				
	Mother	Father	Sibling	Describe the disability or health problem
Family member disability?				
Family member serious health problems?				

Family Mental Health History					
Check all that apply to biological family	Mother	Maternal family	Father	Paternal family	Siblings
Heart Problems					
Thyroid Problems					
Problems with inattention, hyperactivity/ impulse control.					
Problems with aggression, oppositional, or antisocial behavior as a child.					
Learning disabilities					
Cognitive/intellectual disabilities					
Autism Spectrum					
Anxiety					
Depression					
Obsessive Compulsive Disorder					

Eating Disorder					
Schizophrenia or Psychosis					
Bipolar Disorder					
Sipolar Bisorder		L			
Suicidal thoughts or attempts					
Drug abuse or dependence					
Victim of sexual abuse					
Victim of physical abuse					
Other: (specify)					
Cultural, Spiritual Influences	.				
Describe any important spiritual/religious/cultural influences that are important in understanding this child/adolescent's problems or treatment:					
Life Stressors/Trauma Histo	ry				
Has this child/adolescent experien	ced or witnessed an	y of the following? (Check all that apply)	
☐ Domestic violence/abuse: Expl	ain				
Community violence: Explain					
Physical abuse: Explain					
Verbal or Emotional abuse: Explain					
Sexual assault/molestation: Explain					

	Physical neglect: Explain	
	Serious illness: Explain	
	Serious accident : Explain	
	Divorce/Separation/Remarriage of Parent: Explain	
	Change of residence: Explain	
	Change of schools: Explain	
	Job changes of parents: Explain	
	Pregnancy/Miscarriage/Abortion: Explain	
	Family chemical abuse: Explain	
	Exposure to drug activity (outside of the home): Explain	
	Foster care or other out-of-home placement: Explain	
	Arrests/Imprisonments in family: Explain	
	Death/loss of family member: Explain	
	Death/loss of friend: Explain	
	Family accident or illness: Explain	
	Financial changes or stressors: Explain	
	Parent conflicts in disciplining: Explain	
	Other: Explain	
Str	engths and Quality of Social Network	
Wh	at are this child/adolescent's strengths?	
	1 3	
\//h	2 4at does this child/adolescent like to do?	
	ivities:	
Hol	bbies:	
	cribe this child/adolescent's relationship with each parent:	
	ther:her:	
Ste	p mother:	
	p father:	
——	er caregivers:	
Des	cribe this child/adolescent's relationship with siblings:	_

Describe this chil	d/adolescent's relationship with peers:	
Describe the par	ent relationship and any impact on this child/adolescent:	
·		
Educational H	istory	
Does your child/a	adolescent have an IEP for special education services?: \square No \square Yes	
If no, has your	child ever been tested and determined not to need services? \square No \square Yes	
	e your child/adolescent's academic, behavioral and emotional progress within each of the ner observations.	ese grade levels. Please
Grade	Progress	School/Program
Preschool/ Daycare		
Kindergarten		
1 st grade		
2 nd grade		
3 rd grade		
4 th grade		
5 th grade		
6 th grade		
7 th grade		
8 th grade		
9 th grade		
10 th grade		
11 th grade		
12 th grade		
	olescent repeated any grades?	

Has this child/adolescent participated in any special education or other programming? If so, indicate which grade(s). Program Grade(s) Program Grade(s) Early Childhood Spec. Ed./Developmental Delay Developmental/Cognitive Disability Special Learning Disability Autism Spectrum Disorder
What are this child/adolescent's strengths in school?
What are this child/adolescent's weaknesses in school?
Is the school doing a good job of meeting your child/adolescent's needs?
Is your child/adolescent currently employed? If yes, where and how many hours/week?
Alcohol / Substance Use
Does your child or adolescent drink alcohol?
Does your child or adolescent drink alcohol?
Does your child or adolescent drink alcohol?

How many years altogether has this child /adolescent been drinking and/or using drugs?			
How would you describe this child/adolescent's pattern of alcohol or chemical use"?			
□Continuous and progressive □On and off with no pattern □A fairly regular pattern □Decreasing but more destructive			
Has this child/adolescent shown signs of significant mood changes?			
The following is a list of common symptoms in individuals who are abusing alcohol or drugs. Please check all that apply.			
Blackouts. How often:			
Minimizes the extent of their use. Describe:			
Lies about where they go or who they are with. When did this start?			
☐ Engages in abusive or aggressive behavior. Describe:			
☐Uses mood altering drugs/medications when drinking or substitutes medications for alcohol?			
Stops drinking for periods of time. How often and why?			
☐There have been changes in this child/adolescent's drinking pattern. Describe:			
This child/adolescent's drinking and/or chemical use has resulted in changes in family activities. Describe:			
Unreasonable resentments. Describe:			
Changes in sexual drive or activity. Describe:			
☐ Binges or benders. Describe:			
Tremors or alcohol/drug related physical problems. Describe:			
Narrowed range or lack of interests. Describe:			
Changes in the type of friends or attitudes toward friends. Describe:			
Left or threatened to leave home after being confronted about chemical use. Describe:			
Was told by a physician that chemical use is injuring his/her health. Describe:			
Family members have complained that this child/adolescent spends too much money on alcohol or other chemicals. Describe:			

Has quit or been threatened with expulsion or suspension from school due to chemical use. Describe:
Has been picked up/arrested by police for intoxication or other chemical use related charges. Describe:
Has had accidents/injuries related to drinking or chemical use. When/Describe:
Has had illnesses related to drinking or chemical use. When/Describe:
Has been gone from home without notifying parent(s). When/Describe:
Has had other negative consequences related to drinking or substance use. Describe:
We/I feel responsible for this child/adolescent's drinking/chemical use?
We/I sometimes feel guilty about this child/adolescent's drinking/chemical use? ☐Yes ☐No
We/I feel this child/adolescent could quit drinking/using if he/she wanted to badly enough? \Box Yes \Box No
This child/adolescent simply lacks the will power to quit drinking/using?
Alcoholism is not a disease so much as it is a sin and moral problem? \square Yes \square No
We/I feel that this child/adolescent isn't alcoholic or chemically dependent but rather has a drinking/use problem?
Any additional information/concerns:
Signature of Parent/Guardian: Date: